



### Rip Blade - Technical Specifications

Part	Kerf		OD (Outer Diameter)	Z (# of Teeth)	PT (Plate Thickness)	Timber Thickness
SP-330-060-2.50	3.51mm	.138"	13"	±60	2.50mm	N/A
SP-337-065-2.50	3.51mm	.138"	13 1/4"	±65	2.50mm	N/A
SP-356-065-2.50	3.51mm	.138"	14"	±65	2.50mm	N/A
SP-394-065-2.67	3.76mm	.148"	15 1/2"	±65	2.67mm	N/A
SP-406-056-2.54	3.81mm	.150"	16"	±56	2.54mm	N/A

### Edger - Technical Specifications

Part	Kerf		OD (Outer Diameter)	Z (# of Teeth)	PT (Plate Thickness)	Mtrl. Type
SP-339-120-17.78-3PC	19.05mm	.750"	339mm	±60	17.78mm	Solid Wood

**Our Straight Plate Rip Saws** are built to the tightest tolerances, raising the bar above industry standards for accuracy and performance. Available in both Glue-Line and Rip-to-Dimension varieties, and with a kerf specific to your application.

**To help us quote the right blade for you**, please [contact](#) one of our knowledgeable sales staff and let us know about your application and what goals you are looking to achieve.

### Bore Pattern Specs

Machine MFG	Ø Bore	Ø Pinhole	Keyway Specs
Lico	6.252"	(8) 11/32" Pinholes on 7.625" BC	N/A
Lico	5.750"	(6) .406" Pinholes on 7.000" BC	N/A

[sales@superthinsaws.com](mailto:sales@superthinsaws.com)